







Inserttags

Inserimento di contenuti dinamici
nello sviluppo di siti web

Dov'è possibile utilizzare i tags?

-  Elemento Testo
-  Elemento Hyperlink
-  Elemento Html
-  Nei form
-  All'interno dei moduli
-  All'interno dei template

Inserttags

Inserimento di contenuti dinamici nello sviluppo di siti web

In quale forma occorre scrivere i tags?

{{ Parola chiave }}

oppure

{{ Parola chiave::parametro }}

Inserttags

Inserimento di contenuti dinamici nello sviluppo di siti web

ContaoCms.it
upgrade your website 

Alcuni esempi di tags

`{{date}}`

->Stampa la data corrente

`{{env::url}}`

->Stampa l'url del sito

`{{user::username}}`

->Stampa lo username di un membro

Variabili di ambiente

Insert Tag	Description
{{env::page_id}}	This tag will be replaced with the ID of the current page.
{{env::page_alias}}	This tag will be replaced with the alias of the current page.
{{env::page_name}}	This tag will be replaced with the name of the current page.
{{env::page_title}}	This tag will be replaced with the title of the current page.
{{env::page_language}}	This tag will be replaced with the language of the current page.
{{env::parent_alias}}	This tag will be replaced with the alias of the parent page.
{{env::parent_name}}	This tag will be replaced with the name of the parent page.
{{env::parent_title}}	This tag will be replaced with the title of the parent page.
{{env::main_alias}}	This tag will be replaced with the alias of the parent main page.
{{env::main_name}}	This tag will be replaced with the name of the parent main page.
{{env::main_title}}	This tag will be replaced with the title of the parent main page.
{{env::website_title}}	This tag will be replaced with the title of the website.
{{env::host}}	This tag will be replaced with the current host name. Added in version 2.9.0.
{{env::url}}	This tag will be replaced with the host name and the protocol.
{{env::path}}	This tag will be replaced with the current base URL including the path to the Contao directory.
{{env::request}}	This tag will be replaced with the current request string.
{{env::referer}}	This tag will be replaced with the URL of the last page visited.
{{env::ip}}	This tag will be replaced with the IP address of the current visitor.

Inserttags

Inserimento di contenuti dinamici nello sviluppo di siti web

Informazioni utente frontend

Insert Tag	Description
{{user::firstname}}	This tag will be replaced with the first name of the currently logged in user.
{{user::lastname}}	This tag will be replaced with the last name of the currently logged in user.
{{user::company}}	This tag will be replaced with the company name of the currently logged in user.
{{user::phone}}	This tag will be replaced with the phone number of the currently logged in user.
{{user::mobile}}	This tag will be replaced with the mobile number of the currently logged in user.
{{user::fax}}	This tag will be replaced with the fax number of the currently logged in user.
{{user::email}}	This tag will be replaced with the e-mail address of the currently logged in user.
{{user::website}}	This tag will be replaced with the web address of the currently logged in user.
{{user::street}}	This tag will be replaced with the street name of the currently logged in user.
{{user::postal}}	This tag will be replaced with the postal code of the currently logged in user.
{{user::city}}	This tag will be replaced with the city of the currently logged in user.
{{user::country}}	This tag will be replaced with the country of the currently logged in user.
{{user::username}}	This tag will be replaced with the username of the currently logged in user.

Inserttags

Inserimento di contenuti dinamici nello sviluppo di siti web

Link elementi

Insert Tag	Description
{{link::*}}	This tag will be replaced with a link to an internal page (replace * with the page ID or alias).
{{link::back}}	This tag will be replaced with a link to the last page visited. Can also be used with link_open, link_url and link_title.
{{link::login}}	This tag will be replaced with a link to the login page of the currently logged in front end user (if any).
{{link_open::*}}	Will be replaced with the opening tag of a link to an internal page: {{link_open::12}}Click here{{link_close}}.
{{link_url::*}}	This tag will be replaced with the URL of an internal page: Click here.
{{link_title::*}}	This tag will be replaced with the title of an internal page: Click here.
{{article::*}}	This tag will be replaced with a link to an article (replace * with the article ID or alias).
{{article_open::*}}	Will be replaced with the opening tag of a link to an article: {{article_open::12}}Click here{{link_close}}.
{{article_url::*}}	This tag will be replaced with the URL of an article: Click here.
{{article_title::*}}	This tag will be replaced with the title of an article: Click here.
{{news::*}}	This tag will be replaced with a link to a news item (replace * with the news ID or alias).
{{news_open::*}}	Will be replaced with the opening tag of a link to a news article: {{news_open::12}}Click here{{link_close}}.
{{news_url::*}}	This tag will be replaced with the URL of a news article: Click here.
{{news_title::*}}	This tag will be replaced with the title of a news article: Click here.
{{event::*}}	This tag will be replaced with a link to an event (replace * with the event ID or alias).
{{event_open::*}}	Will be replaced with the opening tag of a link to an event: {{event_open::12}}Click here{{link_close}}.
{{event_url::*}}	This tag will be replaced with the URL of an event: Click here.
{{event_title::*}}	This tag will be replaced with the title of an event: Click here.
{{faq::*}}	This tag will be replaced with a link to a frequently asked question (replace * with the FAQ ID or alias).
{{faq_open::*}}	Will be replaced with the opening tag of a link to a question: {{faq_open::12}}Click here{{link_close}}.
{{faq_url::*}}	This tag will be replaced with the URL of a question: Click here.
{{faq_title::*}}	This tag will be replaced with the title of a question: Click here.

Insert Tag

Inserimento di contenuti dinamici nello sviluppo di siti web



Inclusione elementi

Insert Tag	Description
<code>{{insert_article::*}}</code>	This tag will be replaced with the referenced article (replace * with the article ID or alias).
<code>{{insert_content::*}}</code>	This tag will be replaced with the referenced content element (replace * with the element ID).
<code>{{insert_module::*}}</code>	This tag will be replaced with the referenced module (replace * with the module ID).
<code>{{article_teaser::*}}</code>	This tag will be replaced with the teaser of an article (replace * with the article ID).
<code>{{news_teaser::*}}</code>	This tag will be replaced with the teaser of a news item (replace * with the news ID).
<code>{{event_teaser::*}}</code>	This tag will be replaced with the teaser of an event (replace * with the event ID).
<code>{{file::*}}</code>	This tag will be replaced with the content of a file from the templates directory (replace * with the file name). You can also provide arguments: <code>{{file::file.php?arg1=val&arg2=val}}</code>

Inserttags

Inserimento di contenuti dinamici nello sviluppo di siti web

Elementi generici








Insert Tag	Description
{{date}}	This tag will be replaced with the current date according to the global date format.
{{date::*}}	This tag will be replaced with the current date according to a custom date format.
{{last_update}}	This tag will be replaced with the date of the last update according to the global date format.
{{last_update::*}}	This tag will be replaced with the date of the last update according to a custom date format.
{{email::*}}	This tag will be replaced with a clickable and encrypted link to an e-mail address.
{{lang::*}}	This tag can be used to mark foreign words within a text: <code>{{lang::fr}}Au revoir{{lang}}</code> It will be replaced with <code>Au revoir</code> .
{{iflng::*}}	This tag will be completely removed if the page language does not match the tag language. You can use it to define language-specific labels: <code>{{iflng::en}}Your name{{iflng}}{{iflng::de}}Ihr Name{{iflng}}</code>
{{image::*}}	This tag will be replaced with the thumbnail of an image: <code>{{image::tl_files/image.jpg?width=200&height=150}}</code> width Thumbnail width height Thumbnail height alt Alternative text class CSS class rel rel-attribute (e.g. "lightbox") mode mode ("proportional", "crop" or "box")
{{label::*}}	This tag will be replaced with a translated label: <code>{{label::CNT:au}}</code> or <code>{{label::tl_article:title:0}}</code> . Note that only the first colon is a double colon.

Inserttags

Inserimento di contenuti dinamici nello sviluppo di siti web

Inserimento di un'immagine

```
{{image::*}}
```

-  path immagine
-  width Larghezza miniatura
-  height Altezza miniatura
-  alt Testo alternativo
-  class Classe CSS
-  rel Attributo rel (es. "lightbox")
-  mode modalità ("proportional", "crop" o "box")

```
{{image::path_file?  
width=300&height=300&alt=Desc&class=cornice  
&mode=proportional&rel=lightbox}}
```

Inserttags

Inserimento di contenuti dinamici nello sviluppo di siti web

Estensione che aggiungono Inserttags

Custom InsertTags

L'estensione permette di aggiungere inserttags personalizzati

<http://www.contao.org/extension-list/view/inserttags.10070009.en.html>

MoreLinks

Questa estensione permette di aggiungere in modo semplice link a news, eventi e faq

<http://www.contao.org/extension-list/view/morelinks.10010009.en.html>

Inserttags

Inserimento di contenuti dinamici nello sviluppo di siti web